

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application of:

Jan UTAS et al.

Application No.: 10/584,073

Confirmation No.: 3384

Filed: September 20, 2006

Art Unit: 3761

For: CATHETER ASSEMBLY WITH
OSMOLALITY-INCREASING FLUID

Examiner: M.J. Hand

REQUEST FOR INTERVIEW UNDER 37 C.F.R. § 1.114

MS AMENDMENT

March 6, 2012

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:

In consideration of the Request for Continued Examination (RCE) filed under 37 C.F.R. § 1.114, the Examiner is respectfully requested to contact Applicants' representative, Robert J. Webster (Reg. No. 46472) at 703-205-8000, in order to schedule an interview to discuss the patentability of the present application before an Office Action is issued in response to the RCE. Applicants respectfully submit that the granting of such an interview is proper under 37 C.F.R. § 1.114 in view of the filing of the RCE in the present application.

If necessary, the Director is hereby authorized in this, concurrent, and future replies to charge any fees required during the pendency of the above-identified application or credit any overpayment to Deposit Account No. 02-2448.

Dated: March 6, 2012

Respectfully submitted,

By 

Paul C. Lewis

Registration No.: 43368

BIRCH, STEWART, KOLASCH & BIRCH, LLP

8110 Gatehouse Road, Suite 100 East

P.O. Box 747

Falls Church, VA 22040-0747

703-205-8000